WEST Search History

Hide Items | Restore | Clear | Cancel

DATE: Tuesday, March 09, 2004

Hide?	Set Name	Query	Hit Count
		DB=PGPB,USPT,JPAB; PLUR=YES; OP=OR	
☐	L14	L12 and l2	1
		DB=USPT; PLUR=YES; OP=OR	
☐	L13	5606518.pn.	1
		DB=PGPB,USPT,JPAB; PLUR=YES; OP=OR	
☐	L12	5600578	18
☐	L11	L8 and mos and channel	13
☐	L10	L9 and mos and (gate or channel)	8
☐	L9	L8 and (immunity or susceptib$ or toleran$)	111
☐	L8	L2 and noise	224
☐	L7	L6 and l2	1
☐	L6	5936868	6
☐	L5	L2 and noise and mos	18
☐	L4	L2 and noise and static and mos	6
☐	L3	L2 and noise and static and (gate or channel) and mos	6
☐	L2	rule adj check$	1828
☐	L1	rule adj check$ same noise	21

END OF SEARCH HISTORY

Hit List

| Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs |

| Generate OACS |

Search Results - Record(s) 1 through 13 of 13 returned.

☐ 1. Document ID: US 20020013149 A1

Using default format because multiple data bases are involved.

L11: Entry 1 of 13   File: PGPB   Jan 31, 2002

PGPUB-DOCUMENT-NUMBER: 20020013149
PGPUB-FILING-TYPE: new
DOCUMENT-IDENTIFIER: US 20020013149 A1

TITLE: Network engineering/systems system for mobile satellite communcation system

PUBLICATION-DATE: January 31, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
Threadgill, Michael E.	Reston	VA	US	
Lin, ShihChao	Reston	VA	US	

US-CL-CURRENT: <u>455</u>/<u>427</u>; <u>455</u>/<u>12.1</u>, <u>455</u>/<u>13.4</u>, <u>455</u>/<u>429</u>, <u>455</u>/<u>452.1</u>

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw De |

☐ 2. Document ID: US 20010051937 A1

L11: Entry 2 of 13   File: PGPB   Dec 13, 2001

PGPUB-DOCUMENT-NUMBER: 20010051937
PGPUB-FILING-TYPE: new
DOCUMENT-IDENTIFIER: US 20010051937 A1

TITLE: PROBLEM MODEL FOR ALARM CORRELATION

PUBLICATION-DATE: December 13, 2001

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
ROSS, NIALL	ESSEX		GB	
WHITE, ANTHONY R. P.	OTTAWA ONTARIO		CA	

US-CL-CURRENT: <u>706</u>/<u>47</u>

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw D |

☐ 3.   Document ID: US 20010014886 A1

L11: Entry 3 of 13   File: PGPB   Aug 16, 2001

PGPUB-DOCUMENT-NUMBER: 20010014886
PGPUB-FILING-TYPE: new
DOCUMENT-IDENTIFIER: US 20010014886 A1

TITLE: NETWORK MODEL FOR ALARM CORRELATION

PUBLICATION-DATE: August 16, 2001

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY	RULE-47
ROSS, NIALL	ESSEX		GB	
WHITE, ANTHONY RICHARD	OTTAWA		CA	

US-CL-CURRENT: 706/45

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw D |

☐ 4.   Document ID: US 6636721 B2

L11: Entry 4 of 13   File: USPT   Oct 21, 2003

US-PAT-NO: 6636721
DOCUMENT-IDENTIFIER: US 6636721 B2

TITLE: Network engineering/systems system for mobile satellite communication system

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw D |

☐ 5.   Document ID: US 6598033 B2

L11: Entry 5 of 13   File: USPT   Jul 22, 2003

US-PAT-NO: 6598033
DOCUMENT-IDENTIFIER: US 6598033 B2

TITLE: Problem model for alarm correlation

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw D |

☐ 6.   Document ID: US 6519191 B1

L11: Entry 6 of 13   File: USPT   Feb 11, 2003

US-PAT-NO: 6519191
DOCUMENT-IDENTIFIER: US 6519191 B1
** See image for **Certificate of Correction** **

TITLE: Semiconductor integrated circuit device having an internal voltage
generation circuit layout easily adaptable to change in specification

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw D |

☐ 7.   Document ID: US 6499129 B1
L11: Entry 7 of 13   File: USPT   Dec 24, 2002

US-PAT-NO: 6499129
DOCUMENT-IDENTIFIER: US 6499129 B1

TITLE: Method of estimating performance of integrated circuit designs

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw D |

☐ 8.   Document ID: US 6457163 B1
L11: Entry 8 of 13   File: USPT   Sep 24, 2002

US-PAT-NO: 6457163
DOCUMENT-IDENTIFIER: US 6457163 B1

TITLE: Method and system for constructing and manipulating a physical integrated
circuit layout of a multiple-gate semiconductor device

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw D |

☐ 9.   Document ID: US 6356885 B2
L11: Entry 9 of 13   File: USPT   Mar 12, 2002

US-PAT-NO: 6356885
DOCUMENT-IDENTIFIER: US 6356885 B2

TITLE: Network model for alarm correlation

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw D |

☐ 10.   Document ID: US 6272341 B1
L11: Entry 10 of 13   File: USPT   Aug 7, 2001

US-PAT-NO: 6272341
DOCUMENT-IDENTIFIER: US 6272341 B1

TITLE: Network engineering/systems engineering system for mobile satellite communication system

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw D |

☐ 11. Document ID: US 6185409 B1

L11: Entry 11 of 13   File: USPT   Feb 6, 2001

US-PAT-NO: 6185409
DOCUMENT-IDENTIFIER: US 6185409 B1

TITLE: Network engineering/systems engineering system for mobile satellite communication system

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw D |

☐ 12. Document ID: US 5936868 A

L11: Entry 12 of 13   File: USPT   Aug 10, 1999

US-PAT-NO: 5936868
DOCUMENT-IDENTIFIER: US 5936868 A

TITLE: Method for converting an integrated circuit design for an upgraded process

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw D |

☐ 13. Document ID: US 5600578 A

L11: Entry 13 of 13   File: USPT   Feb 4, 1997

US-PAT-NO: 5600578
DOCUMENT-IDENTIFIER: US 5600578 A
** See image for Certificate of Correction **

TITLE: Test method for predicting hot-carrier induced leakage over time in short-channel IGFETs and products designed in accordance with test results

| Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw D |

| Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs | Generate OACS |

Terms	Documents
L8 and mos and channel	13

WEST Search History

| Hide Items | Restore | Clear | Cancel |

DATE: Tuesday, March 09, 2004

Hide?	Set Name	Query	Hit Count
		DB=PGPB,USPT,JPAB; PLUR=YES; OP=OR	
☐	L7	L6 and static	82
☐	L6	(rule adj check$) same (gate or channel or mos)	161
☐	L5	(rule adj check$) same (noise or cross adj talk)	22
☐	L4	5973546	8
☐	L3	5978267	7
☐	L2	6266275	1
☐	L1	6055366	6

END OF SEARCH HISTORY